

Exhibit F

COMPUTER HARDWARE
AND OTHER EQUIPMENT REQUIREMENTS



EXHIBIT F

COMPUTER HARDWARE AND OTHER EQUIPMENT REQUIREMENTS

“Movers Who Care®” Hardware Requirements

New technology is introduced frequently. The specifications shown in **bold type** are the minimum requirements that you may use. You will be provided the most current requirements during the First Gear.

Hardware Requirements

The recommended minimum configuration (with the minimum acceptable products in **bold type**) are:

Server

- Pentium 4 Processor
- 1MBMB RAM (**512 MB minimum**)
- 60 GB Hard Drive (**40 GB Hard Drive**), CD ROM Drive
- 19” Super VGA Monitor (**17” Super VGA Monitor [1024x768 pixels] minimum**)
(14” Monitor is fine if server is not also being used as a workstation)
- Fast Ethernet (100 MBit) Network Card
- **USB Flash Drive (128MB minimum) or Zip Drive(250 MB for backups)**
- Windows XP Professional Standard Edition (Windows Server 2003 Standard Edition)
- Microsoft Office XP or 2003 (Not needed if server is not also being used as a workstation)
- Symantec Norton AntiVirus 5.0 (or higher)
- Uninterruptible Power Supply (UPS)

Workstation

- Pentium 4 Processor
- 512MB RAM (**256 MB minimum**)
- 40 GB Hard Drive (**20 GB Hard Drive**), CD ROM Drive
- 19” Super VGA Monitor (**17” Super VGA Monitor [1024x768 pixels] minimum**)
- Fast Ethernet (100 MBit) Network Card
- Windows XP Professional
- Microsoft Office XP or 2003 Standard Edition
- Norton AntiVirus 5.0 (or higher)
- Uninterruptible Power Supply (UPS)

Tablet PC for Estimates

- 1.6GHz Intel Pentium M w/ Centrino
- 512MB RAM
- 60GB HDD
- 10/100/1000 Ethernet
- 802.11b/g
- Windows XP Tablet

Network

- Fast Ethernet (100 MBit) Network Switch
- Twisted pair wire (Category 5) between each Computer and Network Switch

Printers

- Laser Printer
- Dot-matrix Printer
- Portable Ink-jet Printer

Internet Access

- High-Speed Internet Connection (cable Modem, DSL)

A Cisco IP Telephony system, which includes:

- Cisco 2811 Integrated Services Router
- Auto Attendant/Voice Messaging and Call Queuing
- Cisco IP Phones (models 7912,7940 or 7960)

This system must be installed and configured to communicate with and be part of the **TWO MEN AND A TRUCK®** IP Phone system. Exact Specifications and a detailed configuration will be provided from Home Office.